

RESEARCH NEWS STORY

News Release Aug 5, 2022

Muscle Mechanics: Improving Sports Performance with Muscle Mechanical Properties

New study demonstrates the role of passive muscle properties in high-speed dynamic performance, which can help design optimal sports training regimens

Muscular factors are considered crucial for sports performance. But how do passive muscle properties influence performance outcomes? A new study from Shizuoka Sangyo University in Japan examines the connection between muscular shear modulus and performance during stretch-shortening movements and multi-joint leg extensions. The findings offer compelling evidence indicating the role of relaxed muscle properties in fast-paced dynamic activities. This could potentially help improve sports performance and advance research in this field.

For any athlete, be it a marathon runner or a volleyball player, improving one's performance is paramount. In fact, a major area of research in sports science is dedicated towards understanding how different muscle factors — size, weight, and length, influence an athlete's dynamic performance. Muscles properties in passive or 'relaxed' state, including muscle tension, rigidity, and stiffness, are of particular interest. While some studies suggest a possible association between passive muscle properties and performance during rigorous exercises, other studies indicate a lack of correlation. As a result, the current evidence linking passive muscular mechanical properties with performance is inconsistent and inconclusive.

Given the need to improve understanding in this sphere, Dr. Ryoichi Ema, an associate professor at the Shizuoka Sangyo University in Japan further probed into the relationship between passive muscle mechanical properties and dynamic performance. Citing the rationale behind the study, Dr. Ema says, *"The shear modulus or muscle stiffness is an indicator of passive muscle mechanical properties. The vastus lateralis (VL) is an important muscle in the thigh that is linked to intensive leg extension exercises. So, our research focused on examining whether the shear modulus of the VL is associated with*

dynamic performance outcomes of high-speed activities. With this study we aim to fill in the inconsistencies of previous findings.” The study was made available online in the [European Journal of Sports Science](#).

Dr. Ema hypothesized that mechanical properties of relaxed muscles are correlated with performance during high-speed stretch-shortening cycle (SSC) and explosive exercises. He and his team recruited 30 young healthy women (18 physically active and 12 sedentary), who were asked to randomly perform different exercises involving the VL. These included squat jump (SJ), countermovement jump (CMJ), rebound jump (RJ), and multi-joint leg extension at three velocities (low, moderate, and high). The team measured the jump heights for the jumping exercises and muscle power for the leg extension exercise; along with assessing the relaxed shear modulus of the VL using ultrasound elastography. Finally, they determined the correlation between these variables through statistical analysis.

The results showed that the shear modulus of VL was positively correlated with the activity-based parameters. The correlation was more significant with RJ height, and multi-joint leg extension power at moderate and high velocities. On the contrary, the correlation was inconsequential with SJ and CMJ height and leg extension power at low velocity. This suggests that passive mechanical muscle properties, like shear modulus, are essential for performance during a series of rapid SSC exercises. Similarly, it indicates that passive muscle mechanical properties are vital for force generating potential at high velocities.

But what is the underlying physiology and relevance of these correlations? Muscles that have an abundance of connective tissues and contracting elements tend to have a higher passive shear modulus. This allows for rapid transfer of force to the tendons and better force-velocity balance, which helps in modulating the speed of movement. SSC movements and multi-joint leg extensions at higher velocities are usually observed in fast-paced activities like running, sprinting, and volleyball. Therefore, these findings indicate that the passive mechanical properties of an agonist (contracting) muscle, like the VL, play a crucial role in performance during high-speed dynamic exercises/activities. Furthermore, this study has got the ball rolling for future research to look into the combined role of other muscle groups and muscular factors on dynamic performance.

Discussing the real-life applications of these results, Dr. Ema says, *“These findings can be useful for guiding sports training and coaching, and for developing suitable exercise*

modalities for individuals aiming for performance improvements.” Well, here’s hoping this study provides athletes the competitive edge to soar new heights!

Reference

Authors	Ryoichi Ema
Title of original paper	Association between elastography-assessed muscle mechanical properties and high-speed dynamic performance
Journal	<i>European Journal of Sports Science</i>
DOI	10.1080/17461391.2022.2097129
Affiliations	Faculty of Sport Science, Shizuoka Sangyo University, Japan



Caption: Recent advances in ultrasound technology improve understanding of muscle mechanics.

About Professor Ryoichi Ema

Ryoichi Ema, associate professor at the Faculty of Sport Science, Shizuoka Sangyo University, Japan is the corresponding author of this paper. He holds a PhD in sports science from the Waseda University. He has keen research interests in biomechanics, training sciences and, exercise physiology. In his career spanning over a decade, he has published more than 30 research papers on these topics. His research on muscle architecture and muscle mechanics in sports has received wide appreciation. The 'Best Teacher Award' by Shizuoka Sangyo University is a recent addition to his portfolio of achievements. With this paper, he wishes to further the understanding of muscle mechanical factors in sports performance.

Funding Information

This work was supported by the Grant for the special research project in Shizuoka Sangyo University and the Japan Society for the Promotion of Science KAKENHI grant JP19K20055.

Media Contact:

E-mail: koho-media@ssu.ac.jp

Web: <https://www.ssu.ac.jp/>